

TS-165 ABV 1-Speed

Vac Pump P/N: DR0066
No Vac Pump P/N: DR0067

One of our most popular drills for the rental industry. Easy to use for contractors or the DIY market. With a built in vacuum pad and pump for anchor free use. Built-in on/off switch with low voltage drop-out and motor overload protection.

Drills up to a 10" hole vertically or 8" at a 45° angle.

The Feed handle works on both the right and left side of the carriage for tight workspaces. Roller carriage for smooth and precise drilling.

The toolkit includes 2 wrenches, 2 Allen keys, core removal wedge, anchor stud w/ washer and nuts and pouch.


FEATURES

- 2" x 2" hybrid steel and aluminum column
- Lifetime free clutch adjustments*
- Wheel kit for easy mobility
- Right/Left feed handle use
- Compact and lightweight
- 360° Water swivel ring
- Roller carriage for smooth and precise drilling

TECH SPECS

- 15A 115V 1700 Watts
- 1-Speed
- 950 RPM no load
- 660 RPM load
- H1511 Motor 1-Speed
- 10" Max Bit Diameter
- 26" Drilling Stroke

360° Swivel Water Ring



No Vac Pump
P/N:DR0067



Vac Pump
P/N:DR0066



**Freight not included

*Freight not included.



06/07/2022

SHIBUYA

ABV Core Drills



TS-165 PRO ABV 2-Speed

Vac Pump P/N: DR0058
No Vac Pump P/N: DR0059

One of our most popular drills for the rental industry. Easy to use for contractors or the DIY market. With a built in vacuum pad and pump for anchor free use. Built-in on/off switch with low voltage drop-out and motor overload protection.

Can drill up to a 10" hole vertically or up to a 8" at a 45° angle.

The Feed handle works on both the right and left side of the carriage for tight workspaces. Roller carriage for smooth and precise drilling.

The toolkit includes 2 wrenches, 2 Allen keys, core removal wedge, anchor stud w/ washer and nuts and pouch.



FEATURES

- 2" x 2" hybrid steel and aluminum column
- Roller carriage for smooth and precise drilling
- Lifetime free clutch adjustments*
- Wheel kit for easy mobility
- Right/Left feed handle use
- Compact and lightweight
- 360° Water swivel ring

TECH SPECS

- 15A 115V 1700 Watts
- 750/1150 RPM no load
- 520/790 load
- H1521 Motor 2-Speed
- 10" Max Bit Diameter
- 26" Drilling Stroke



With Vac Pump
P/N: DR0058

Optional Equipment Shown




**Freight not included

360° Swivel Water Ring



No Vac Pump
P/N: DR0059



06/07/2022

TS-165 1-Speed

31.5" Column Fixed Base P/N: DR0061
39.4" Column Angle Base P/N: DR0062

Right and left-hand feed handle positions. Optionally removable vacuum pads for versatility.

2" square hybrid steel and aluminum column for light weight and strength (with anchor base only). The toolkit includes 2 wrenches, 4 Allen keys, core removal wedge, anchor stud w/ washer and nuts and pouch.

Fixed Base models have a 31.5" column and offer a 19" drilling stroke. Angle Base models have a 39.4" column and a 26" drilling stroke.



FEATURES

- Uses full-size or short core bits
- 2" x 2" hybrid steel and aluminum column
- Free 5" WCR Water/Slurry ring included
- 360° Water swivel ring
- Fixed or Angle base models available
- Lifetime free clutch adjustments*
- Right/Left feed handle use
- Compact and lightweight
- Roller carriage for smooth and precise drilling



TECH SPECS

- 15A 115V
- 1-Speed
- 950 RPM no load
- 660 RPM load
- 1700 Watts
- H1511 Motor 1-Speed
- 9" Max Bit Diameter
- 19" Drilling Stroke fixed base
- 26" Drilling Stroke angle base

360° Swivel Water Ring



Fixed Base Model



**Freight not included

Angle Base
P/N: DR0062

Optional Equipment Shown

06/07/2022

TS-165 PRO 2-Speed

31.5" Column Fixed Base P/N: DR0065
39.4" Column Angle Base P/N: DR0051

Right and left-hand feed handle positions. Optionally removable vacuum pads for versatility.

2" square hybrid steel and aluminum column for light weight and strength (with anchor base only). The toolkit includes 2 wrenches, 4 Allen keys, core removal wedge, anchor stud w/ washer and nuts and pouch.

Fixed Base models have a 31.5" column and offer a 19" drilling stroke. Angle Base models have a 39.4" column and a 26" drilling stroke.

FEATURES

- Uses full-size or short core bits
- 2" x 2" hybrid steel and aluminum column
- WCR 5" Water/Slurry ring included
- 360° Water swivel ring
- Fixed or Angle base models available
- Lifetime free clutch adjustments*
- Right/Left feed handle use
- Compact and lightweight
- Roller carriage for smooth and precise drilling

TECH SPECS

- 15A 115V 1700 Watts
- 750/1150 RPM no load
- 520/790 RPM load
- H1521 Motor 2-Speed
- 9" Max Bit Diameter
- 19" Drilling Stroke fixed base
- 26" Drilling Stroke angle base



Fixed Base
P/N: DR0065




Optional Equipment Shown

360° Swivel Water Ring



Angle Base
P/N: DR0051



06/07/2022

TS-165 1-Speed

Fixed Base P/N: DR0064
Angle Base P/N: DR0063

Right and left-hand feed handle positions. Optionally removable vacuum pads for versatility.

2" square hybrid steel and aluminum column for light weight and strength (with anchor base only). The toolkit includes 2 wrenches, 4 Allen keys, core removal wedge, anchor stud w/ washer and nuts and pouch.

Case Drills: Kitted core drills come with a 23.5" column with an 8" extension. Without the extension, the kitted core drill will accept up to 10" short core bits. With the extension, standard length (16") core bits can be used.

FEATURES

- 950 RPM no load
- Uses full-size or short core bits
- Carrying case included
- 2-Piece column
- 2" x 2" hybrid steel and aluminum column
- Free 5" WCR water ring included
- 360° Water swivel ring
- 90° to 45° Tilting angle base
- Fixed base or Angle base models

TECH SPECS

- 15A 115V
- 1700 Watts
- H1511 Motor 1-Speed
- 9" Max Bit Diameter
- 19" Drilling Stroke



06/07/2022

TS-165PRO 2-Speed

PRO Fixed Base P/N: DR0053
PRO Angle Base P/N: DR0052

Right and left-hand feed handle positions. Optionally removable vacuum pads for versatility.

2" square hybrid steel and aluminum column for light weight and strength (with anchor base only). The toolkit includes 2 wrenches, 4 Allen keys, core removal wedge, anchor stud w/ washer and nuts and pouch.

Case Drills: Kitted core drills come with a 23.5" column with an 8" extension. Without the extension, the kitted core drill will accept up to 10" short core bits. With the extension, standard length (16") core bits can be used.

FEATURES

- PRO 2-Speed 750/1150 RPM no load
- Uses full-size or short core bits
- Carrying case included
- 2-Piece column
- 2" x 2" hybrid steel and aluminum column
- WCR water ring included
- 360° Water swivel ring
- 90° to 45° Tilting angle base
- Fixed base or Angle base models
- Lifetime free clutch adjustments*
- Right/Left Feed handle use

TECH SPECS

- 15A 115V
- 1700 Watts.
- 750/1150 RPM no load
- 520/790 RPM load
- H1521 Motor 2-Speed
- 9" Max Bit Diameter
- 19" Drilling Stroke



Optional Equipment Shown




**Freight not included




Works With Short Bits

Angle Base P/N:DR0052



Works With Full Size Bits

Fixed Base Model



06/07/2022